

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

	SHEET 1	OF <u>4</u>
ATTORNEY'S DKT NO.	APPLICATION NO.	
010830-117	09/840,243	•
APPLICANT		
Krzysztof MASTERNAI	K et al.	
FILING DATE	GROUP	
April 24 2001	1022	

			uis (patient doguments)				
	U.S. Patent D	ocument					
Examiner Initials	Number	Kind Code (if known)	Name of Patentee or Applicant of Cited Document	Date of Publication (MM-DD-YYYY)			
		FO	REIGN PATENT DOCUMENTS				
	Foreign Patent				and the second s		
Examiner initials	Number	Kind Code (if known)	Country		ate of Publication (MM-DD-YYYY)	Trans Yes	lation
THE STATE OF THE S	, temper	(II KILDINI)	553.137		141141-00-41111	768	no
							_
							<u> </u>
		And the second second	elWidelogizitinkwitelungungeng	caton Similar			
Examiner Initials			(in CAPITAL LETTERS), title of the articles, serial, symposium, catalog, etc.), do publisher, city and/or country where p	ate, page	e(s), volume-issue numb		
	KARLSSON, "Sephration Efficiency of Slurry-Packed Liquid Chromatography Microcolumns with Very Small Inner Diameters", Anal. Chem., 1988, pp. 1662-65, vol. 60, American Chemical Society, Washington, D.C.						
	YATES et al., "Method to Correlate Tendem Mass Spectra of Modified Peptides to Amino Acid Sequences in the Protein Database", Anal. Cherg., 1995, pp. 1426-36, vol. 67, American Chemical Society, Washington, D.C.						
	ZHOU et al., "Human MHC Class II Gene Transcription Directed by the Carboxyl Terminus of ClITA, One of the Defective Genes in Type II MHC Combined Immune Deficiency", <i>Immunity</i> , pp. 545-553, vol. 2, Cell Press, Philadephia, PA.						
	FUERST et al., "Eukaryotic transient-expression system based on recombinant vaccinia virus that synthesizes bacteriophage T7 RNA polymerase", <i>Proc. Natl. Acad. Sci.</i> , 1986, pp. 8122-26, vol. 83, National Academy of Sciences, Washington, D.C.						
	BAEUERIE et al., "NF-vB: Ten Years After - Meeting Review", Cell, 1996, pp. 13-20, vol. 87, Cell Press, Philadelphia, PA.						
	ALKHATIB et al., "Cloning and expression of CDNA for human poly(ADP-ribose) polymerase", Proc. Natl. Acad. Sci., 1987, pp. 1224-28, vol. 84, National Academy of Sciences, Washington, D.C.						
	STEIMLE et al., "Complementation Claning of an MHC Class II Transactivator Mutated in Hereditary MHC Class II Deficiency (or Bare Lymphocyte-Sandyonne)", Cell, 1993, pp. 135-46, vol. 75, Cell Press, Philadelphia, PA.						
·	RILEY et al., "Activation of Class II MHC Genee Requires Both the X Box Region and the Class II Transactivator (CIITA)", Immunity, 1995, pp. 533-43. doi: 2, Cell Press, Philadelphia, PA.						
	LISOWSKA-GROSPIERRE, et al., "Two complementation groups account for most cases of inherited MHC class II deficiency", Human Molecular Genetics, 1991, pp. 953-58, vol. 3, Oxford University Press, Oxford, UK.						
	BATCHELOR et al., "The Structure of GARPOYA An BYS Dormain - Ankyrin Repeat Heterodimer Bound to DNA", Science, 1998, pp. 1037-1041, vol. 279, American Association for the Advancement of Science, Washington, D.C.						
	BENICHOU et al., "Class II-antigen-negative parent and mutent B-cell lines represent at least three, and probably four, distinct genetic defects defined by complementation analysis," <i>Proc. Natl. Acad. Sci.</i> , 1991, pp. 4285-88, vol. 88, National Academy of Sciences, Washington, D.						
	BORK, "Hundreds of Horizontally", <i>PROTI</i> New York.	Ankyrin-Like Re EINS: Structure,	epeats in Functional Diverse Proteins: Function, and Genetics, 1993, pp. 363	Mobile N 3-74, vol	Modules That Cross Phy 17, John Wiley & Sons	la , New	York,
•	DURAND, "Function Purified X-Box-Bindir for Microbiology, Wi	ng Protein RFX".	tion of Major Histocompatibility Comple Molecular and Cellular Biology, 1994,	ex Class pp. 683	Il Regulatory Mutants b 9-47, vol. 14(10), Amei	y the rican Sc	ciety
	Concerns Only One	Member of a Fai	Defect Observed in Major Histocompati mily of Complexes Binding to the X Box , vol. 12(9), American Society for Micro	es of Cla	ass II Promoters", <i>Moled</i>		

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; drew line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. SEND TO: Assistant Commissioner for Patents, Washington, D.C. 20231.



Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTORNEY'S DKT NO. APPLICATION No. 09/840,243 010830-117 APPLICANT Krzysztof MASTERNAK et al. GRÓUP_O 1623 FILING DATE April 24, 2001

	2000
	KRETSOVALI et al., "Involvement of CREB Binding Protein in Expression of Major Histocompatibility Complex Class II Genes via Interaction with the Class II Transactivator", Molecular and Cellular Biology, 1998, pp. 6777, 83, vol. 18(11), American Society for Microbiology, Washington, D.C.
,	WATANABE et al., "cDN) Cloning of Transcription Factor E4TF1 Subunits with Ets and Notch Motifs", Molecular and Cellular Biology, 1993, pp 1386-91, vol. 13(3), American Society for Microbiology, Washington, D.C.
	VILLARD et al., "Mutation of RFXAP, A regulator of MHC Class II Genes, In Primary MHC Class II Deficiency", The New England Journal of Medicina, 1997, pp. 748-53, vol. 337, Massachusetts Medical Society, Boston, MA.
	BONTRON et al., "Two novel mutations in the MHC class II transactivator CIITA in a second patient from MHC class II deficiency complementation group A", Human Genet., 1997, pp. 541-46, vol. 99, Springer-Verlag, London, England.
	VAN DEN ELSEN et al., "Regelation of MHC class I and II gene transcription: differences and similarities", Immunogenetics, 1998, pp. 208-21, vol. 48, Springer-Verlag, London, England.
	TSANG et al., "Mutational Analysis of the DRA Promoter; cis-Acting Sequences and trans-Acting Factors", Molecular and Cellular Biology, 1990, pp. 711-19, vol. 10(2), American Society for Microbiology, Washington, D.C.
	STEIMLE et al., "A novel-DNA-binding regulatory factor is mutated in primary MHC class il deficiency (bare lymphocyte syndrome)", Genes & Development, 1995, pp. 1021-32, vol. 9, Cold Spring Harbor Laboratory Press, Woodbury, New York.
	ACCOLLA, "Human B Cell Variants immunoselected Against A Single la Antigen Subset Have Lost Expression of Several la Antigen Subsets", J. Exp. Med., 1983, pp. 1053-58, vol. 157, The Rockefeller University Press, New York, New York.
	BALDWIN, "The NF-KB and IKB Provins: New Discoveries and Insights", Annu. Rev. Immunol., 1996, pp. 649-81, vol. 14, Annual Reviews, Palo Alto, CA
	BASTA et al., "Identification of An Interfeton Response Region 5' of the Human Histocompatibility Leukocyte Antigen DRα Chain Gene Which is Active in Human Glioblastoma Multiforme Lines", <i>The Journal of Immunology</i> , 1987, pp. 1275-80, vol. 138, American Association of Immunologists, Bethesda, Maryland.
	BONTRON et al., "Efficient Repression of Endogenous Major Histocompatibility Complex Class il Expression through Dominant Negative CliTA Mutants so ated by a Functional Selection Strategy", <i>Molecular and Cellular Biology</i> , 1997, pp. 4249-58, vol. 17(8), American Society for Microbiology, Washington, D.C.
	DURAND et al., "RFXAP, a novel subunit of the RFX DNA binding complex is mutated in MHC class II deficiency", The EMBO Journal, 1997, pp. 1045-55, vol. 16(5), Oxford University Press, Oxford, UK.
	EMERY et al., "RFX proteins, a nover family of DNA binding proteins concerved in the eukaryotic kingdom", Nucleic Acids Research, 1996, pp. 803-07 vol. P4(5). Oxford University Press, Oxford, UK.
	KLEIN et al., "Bone Marrow Transplantation in Major Histocompatibility Complex Class II Deficiency: A Single-Center Study of 19 Patients", Blood, 1998, pp. 886-67, ol. 85(2), The American Society of Hematology, Washington, D.C.
	CLAUSEN et al., "Residual MHC Class II Expression on Mature Dendritic Cells and Activated B Cells in RFX5-Deficient Mice", Immunity, 1998, pp. 143-55, vol. 8, Cell Press, Philadelphia, PA.
	CHANG et al., "Mice Lacking the MHC Class II Transactivator (CliTA) Show Tissue-Specific impairment of MHC Class II Expression", Immunity, 1996, pp. 167-78, vol. 4, Cell Press, Philadelphia, PA.
,	HASEGAWA et al., "Two B cell factors bind the HLA-DRA X box region and recognize different subsets of HLA class II promoters", Nucleic Acids Research, 1991, pp. 6269-76, vol. 19(22), Oxford University Press, Oxford, UK.
	IWABUCHI, et al., "Two cellular proteins that bind to wold-type but not mutant p53", Proc. Natl. Acad. Sci., 1994, pp. 6098-6102, vol. 91, National Academy of Sciences, Washington, D.C.
	REITH et al., "Function of major histocompatibility complex class II promoters requires cooperative binding between factors RFX and NF-Y", <i>Proc. Natl. Acad. Sci.</i> , 1994, pp. 554-58, vol. 91, National Academy of Sciences, Washington, D.C.
	REITH et al. "MHC class il regulatory factor RFK has a novel DNA-binding domain and a functionally independent dimerization domain", Genes & Development, 1990, pp. 1528-40, vol. 4, Cold Spring Harbor Laboratory Press, Woodbury, New York.
,	DE PRÉVAL et al., "A trans-acting class il regulatory gene unlinked to the MHC controls expression of HLA class il genes", Nature, 1985, pp. 291-293, vol. 318, Nature Publishing Group, England.
	WILM et al., "Ferntomole sequencing of proteins from polyacrylamide gels by nano-electrospray mass spectrometry", Nature, 1996, pp. 466-69, vol. 379, Nature Publishing Group, England.
	MASTERNAK et al., "A gene encoding a novel RFK-associated transactivator is mutated in the majority of MHC class II deficiency patients", Nature Genetics, 1998, pp. 273-77, vol. 20, Nature Publishing Group, England.

:555

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. SEND TO: Assistant Commissioner for Patents, Washington, D.C. 20231.



Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTORNEY'S DKT NO. APPLICATION NO. 010830-117 09/840,243

APPLICANT
Krzysztof MASTERNAK et al.
Filing Date GROUP
April 24, 2001 1623

MCDONALD et al., "Ankyrin for clues about the function of p16lNK4a", Nature Structural Biology, 1998, pp. 85-88 vol. 5(2), Nature Publishing Group, England.	,
MERIKA et al., "Recruitment of CBA p300 by the IFNβ Enhanceosome is Required for Synergistic Activation of Transcription", Malecular Cell, 1998, pp. 277-87, vol. 1, Cell Press, Phildelphia, PA.	
MAHANTA et al., "Transactivation by CIITA, the type II bare lymphocyte syndrome-associated factor, requires participation of multiple regions of the TATA box binding protein", Proc. Natl. Acad. Scl., 1997, pp. 6324-29, vol. 9. National Academy of Sciences, Washington, D.C.	94,
MACH et al., "Regulation of MHC Class II Genes: Lessons from a Disease", Annu. Rev. Immunol., 1996, pp. 301-31 vol. 14, Annual Reviews, Inc., Palo Alto CA.	1,
BENNETT, "Ankyrins", <i>The Journal of Biological Chemistry</i> , 1992, pp. 8703-06, vol. 267(13), John Wiley & Sons, I York, New York.	New
MORENO et al., "Regulatory Factor X, a Bare Lumphocyte Syndrom Transcription Factor, Is a Multimeric Phosphoprotein Complex", <i>The Journal of Immunology</i> , 1997, pp. 5841-48, vol. 158, American Association of Immunologists, Bethesda, Maryland.	
SEIDL et al., "Genetic Complexity of Regulatory Mutants Defective for HLA Class II Gene Expression", The Journal of Immunology, 1992, pp. 1576-84, vol. 148 American Association of Immunologists, Bethesda, Maryland.	of .
LOUIS-PLENCE, "Formation of a Regulatory Factor X/X2 Box-Binding Protein/Nuclear Fator-Y Multiprotein Complex of the Conserved Regulatory Regions of HLA Class II Genes", The Journal of Immunology, 1997, pp. 3899-3909, vol. 159, American Association of Immunologists, Bethesda, Maryland.	on
CASPER et al., "Successful treatment with anythrelated-donor bone marrow transplant in an HLA-deficient patient visevere combined immune deficiency ("bare lymphogyte syndrone"), J. Pediatr., 1990, pp. 262-5, vol. 116, C.V. McCo., St. Louis, Missouri.	vith osby
TOURAINE et al., "Combined immunodeficiency disease associated with absence of cell-surface HLA-A and -B antigens", <i>The Journal of Pediatrics</i> , 1978, pp. 47-51, vol. 93(1), C.V. Mosby Co., St. Louis, Missouri.	
THOMPSON et al., "Convergence of Essand Notice Belated Structural Motifs in a Heterometic DNA Binding Complete Science, 1991, pp. 762-68, vol. 253, Apprican Association for the Advancement of Science, Washington, D.C.	x",
STEIMLE et al., "Regulation of MHC Classill Expression by Interferon-Y Mediated by the Transactivator Gene CIITA" Science, 1994, pp. 106-09, vol. 265, American Association for the Advancement of Science, Washington, D.C.	,
ROEDER, "Role of General and Gene-specific Corectors in the Regulation of Eukaryotic Transcription", Cold Spring Harbor Symposia on Quantitative Biology, 1998, pp. 201-18, vol. LXIII, Cold Spring Harbor Laboratory Press, Woodbury, New York.	
OCHS et al., "Molecular Basis of Major Histocompetic lilty Complex Class II Deficiency", <i>Primary Immunodeticlency Diseases - A Molecular and Genetic Approach</i> , 1999, pp. 167-80, Oxford University Press, Inc., New York, New Yo	rk.
REITH et al., "Cooperative Binding between Factors RFX and X2bp to the X and X2 Boxes of MHC Class II Promote The Journal of Biological Chemistry, 1994, pp. 20020-25, vol. 269(31), John Wiley & Sons, New York, New York.	rs",
OTTEN et al., "Quantitative control of MHC class II expression by the transactivator CIITA" Eur. J. Immunol., 1998, 473-78, vol. 28, Wiley-VCH Verlag Gmbh, Weinheim, Germany.	pp.
NAGARAJAN et al., "RFX-B is The Gene Responsible for the Most Common Cause of the Bare Lymphocyte Syndror an MHC Class II Immunodeficiency", Immunity, 1999, pp. 153-62, vol. 10, Cell Press, Philadelphia, PA.	ne,
MORENO et al., "CREB Regulates MHC Class II Expression in a CIITA-Dependent Manner", <i>Immunity</i> , 1999, pp. 14: 51, vol. 10, Cell Press, Philadelphia, PA.	3-
KLEIN et al., "Major histocompatibility complex class II deficiency: Clinical manifestations, immunologic features, an outcome", J. Pediatr., 1993, pp. 921-8, vol. 123, Mosby-Year Book, Inc., St. Louis, Missouri.	ıd
LISOWSKA-GROSPIERRE et al., "A Defect in the Regulation of Major Histocompatibility Complex Class II Gene Expression in Human HLA-DR Negative Lymphocytes from Patients with Combined Immunodeficiency Syndrome", Clin. Invest., 1985, pp. 381-85, vol. 76, The Journal of Clinical Investigation, Ann Arbor, Michigan.	<i>i</i> .
WU et al., "Transcription: Common cofactors and cooperative recruitment", Current Biology, 1999, pp.R606-609, v. 9, Call Press, Philadelphia, PA.	ol.
SATOLA et al., "Congenital Immunodeficiency with Regulatory Defect in MHC Class II Gene Expression Lacks a Specific HLA-DR Promoter Binding Protein, RF-X", Gell, 1988, pp. 897-906, vol. 53, Cell Press, Philadelphia, PA.	
BOSS, "Regulation of transcription of MHC class II genes", Current Opinion in Immunology, 1997, pp. 107-13, vol. Cell Press, Philadelphia, PA.	9,
CAREY, "The Enhanceosome and Transcriptional Synergy", Cell, 1998, pp. 5-8, vol. 92, Cell Press, Philadelphia, PA	ί.

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. SEND TO: Assistant Commissioner for Patents, Washington, D.C. 20231.

SHEFT 4 OF 4



Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

	Orice1 _4_ Or _4
ATTORNEY'S DKT NO.	APPLICATION No.
010830-117	09/840,243
APPLICANT	· · · · · · · · · · · · · · · · · · ·
Krzysztof MASTERNAK	Cet al.
FILING DATE	GROUP
April 24, 2001	1623

	LAMARCO et al., "Identification of Ets- and Netch-Related Subunits in GA Binding Protein", Science, 1991, pp. 789-92, vol. 253, American Association for the Advancement of Science, Washington, D.C.
	WRIGHT et al., "CIITA stimulation of transcript (** 1400) binding to major histocompatibility complex class if and associated promoters in vivo", <i>Proc. Natl. Aced. Sci.</i> , 1898, pp. 6267-72, vol. 95, National Academy of Sciences, Washington, D.C.
	THANOS et al., "Virus Induction of Human IFNS Gene-Expression Requires the Assembly of an Enhanceosome", Cell, 1995, pp. 1091-1100, vol. 83, Cell Press, Philadelinia, RA.
	VAN HUISDUIJNEN et al., "Co-evolution from yeast to mouse: cDNA cloning of the two NF-Y (CP-1/CBF) subunits", The EMBO Journal, 1990, pp. 3119-27, up. 9101, Oxford University Press, Oxford, UK.
	MUHLETHALER-MOTTET et al., "Expression of MHC class II molecules in different cellular and functional compartments is controlled by differential usage of multiple promoters of the transactivator ClITA", The EMBO Journal, 1997, pp. 2851-60, vol. 16(10), Oxford University Ress, Oxford UK.
•	SHAPIRO et al., "Laboratory Methods: A High-Sticiency HeLa Cell Nuclear Transcription Extract, DNA, 1988, pp. 47-55, vol. 7, Mary Ann Lieber, Inc., Larchmonf, New York.
	ENG et al., "An approach to correlate Findern Mace Spectral Data of peptides with amino acid sequences in a protein database" Journal of American Society of Jest Spectrom., 1994, pp. 976-89, vol. 5, Elsivier, England.
,	HUME et al., "Bare Lymphocyte Synttomic: Altered HLA Class II Expression in B Cell Lines Derived from Two Patients", Human Immunology, 1989, pp. 1-11, vol. 25, Elsivier, England.
ı	GRISCELLI et al., "Combined Immunodeficiency with Defective Expression in MHC Class II Genes", Immunodeficiency Reviews, 1989, pp. 141-54, vol. 2, chapter 8, England.
,	LATCHMAN, "Transcription-Factor Mutations and Disease", The New England Journal of Medicine, 1996, pp. 28-33, vol. 334(1), Massachusetts Medical Society, Boston, MA.
Examiner Signature	Date Considered

15